



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,863	11/19/2003	Bruce Reid Lee		1514

7590 10/01/2004

Bruce R. Lee
6811-89th PINE N.E.
Marysville, WA 98270

EXAMINER

WOOD, KIMBERLY T

ART UNIT PAPER NUMBER

3632

DATE MAILED: 10/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/719,863

Applicant(s)

LEE, BRUCE REID

Examiner

Kimberly T. Wood

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☒ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 3632

This is an office action for serial number 10/719,863, entitled Scuba Tank Mounting Brackets filed on November 19, 2003.

Attachment to Office Action: Information to Pro Se Inventors Regarding responses to Office Actions

INTRODUCTION

An examination of this application reveals that applicant may be unfamiliar with patent prosecuting procedure. While an inventor may prosecute the application, lack of skill in this field usually acts as a liability in affording the maximum protection for the invention disclosed.

Applicant is advised to secure the services of a registered patent attorney or agent to prosecute the application. The value of a patent is largely dependent upon skillful preparation and prosecution. Although the services of a registered patent attorney or agent is advised, the Office cannot aid in selecting an attorney or agent. 37 C.F.R. § 1.31; M.P.E.P. § 401. However, Applicant is encouraged to peruse the publication entitled "Attorneys and Agents Registered to Practice Before the U.S. Patent and Trademark Office." This publication is for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

DISCUSSION

Art Unit: 3632

The following discussion provides general information for Applicant's benefit regarding an applicant's response, new matter, the period for response, and the certificate of mailing.

I. Response by Applicant

The applicant **MUST** respond to every ground of rejection and objection made in an Office action. 37 C.F.R. § 1.111. The applicant will generally present arguments that the examiner's rejections or objections were made in error; or amend the specification, drawings, and/or claims to overcome the rejection or objection. Amendments to the application may not introduce new matter. 37 C.F.R. § 1.118.

Unless the Office explicitly requests the return of a paper, all papers mailed to the applicant are intended to be kept by the applicant for his own records. **The response must be signed by ALL applicants.** 37 C.F.R. § 1.33. The response must be identified by the Serial Number of the Application, the Art Unit, and the name of the examiner. An example follows:

Appl. No. : XX/YYY,YYY
Applicant : James Q. Inventor
Filed: April 19, 2003
Title : Bucket with Handle
Art Unit: 3632
Examiner:: John Doe

A. Arguments

Should the applicant disagree with the examiner's position, the applicant should distinctly and specifically point out the supposed

Art Unit: 3632

errors in the examiner's action with arguments under the heading "Remarks" in the response. 37 C.F.R. § 1.111. In addition, the applicant must discuss the references cited by the examiner that explain how the claims avoid the references or patentably distinguish from them. *Id.*

B. Amendments to the Specification

An amendment to the specification may remove a rejection or objection. Any amendment to the specification must be presented as a list of additions and deletions, referring to the passages in question by page and line numbers. 37 C.F.R. § 1.121.

An amendment to the specification should appear as follows:

Please replace the paragraph beginning at page 5, line 15, with the following rewritten paragraph:

I -In the construction of the bucket of this invention, various materials have been selected ~~and~~ which offer a number of diverse properties and allow for varied functions of the article. For caustic solutions, the bucket can be made of a durable ~~polymer~~ plastic material. Where an aesthetic appeal is desired, the bucket can be any ~~of~~-one of many attractive colors. The following listing of properties serves to define possible uses for the buckets.-

Please add the following new paragraph after the paragraph ending on line 20 of page 6:

-- An optional feature of the articles of the invention is the addition of a tetrafluoroethylene coating to the bucket to provide protection from any contents which might be caustic. The coating can be provided to the surface during the manufacturing process or can be added in a later step.--

Art Unit: 3632

C. Amendments to the Claims

An amendment to the claim may remove a rejection or objection. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-4 (canceled)

Claim 5 (original): A bucket with a black handle.

Claim 6 (original): A bucket of claim 5 wherein the handle is metal.

Claim 7 (withdrawn)

Claim 8 (currently amended): A bucket made of ~~yellow~~ green plastic.

Claim 9 (previously amended): A bucket made of aluminum-coated galvanized metal.

Claim 10 (previously added): A bucket having a circumferential upper lip.

Claim 11 (new): A plastic bucket having a blue handle.

D. Drawing Corrections

Finally, correction of the drawings may remove a rejection or objection. Changes to the drawings are submitted as proposed drawing corrections and can be made only with permission of the Office. 37 C.F.R. § 1.123. Proposed drawing corrections should be filed with the response, but should be a separate paper. M.P.E.P. § 608.02(r). The

Art Unit: 3632

proposed corrections should appear in red ink in the drawings.
M.P.E.P. § 608.02(v).

II. New Matter

As previously mentioned, no amendment to the specification, claims, or drawings may introduce new matter. 37 C.F.R. § 1.118. "New matter" constitutes any material which meets the following criteria:

- (1) It is added to the disclosure (either the specification, the claims, or the drawings) after the filing date of the application, and
- (2) It contains new information which is neither included nor implied in the original version of the disclosure. This includes the addition of physical properties, new uses, etc.

See M.P.E.P. § 706.03(o). For example, in the amendment to the claim discussed above, the new limitation of "four legs" would not constitute new matter if the specification or drawings originally described the inclusion of four legs on the chair.

III. Period For Response

An Office action generally sets a time period in which the applicant has to respond to every rejection and objection (called a shortened statutory period). 37 C.F.R. § 1.134. This time period for response appears on the cover letter (form PTO-326) of the Office

Art Unit: 3632

action. Usually, a 3 month shortened statutory period is set. M.P.E.P. § 710.02(b). The applicant's response must be received within the time period listed on the cover letter, or the application will be held abandoned. 37 C.F.R. § 1.135.

Currently, the Office allows the time period for response to be extended past the shortened statutory period up to a maximum of 6 months (called the maximum 6 month statutory period). In order to extend the period of response past the shortened statutory period, a request for an extension of time and payment of the appropriate fee is required. 37 C.F.R. § 1.136. The request must state that it is for "an extension of the period for response under 37 C.F.R. § 1.136(a)." The following table lists the required fees for extensions of the shortened statutory period:

Months Past Response Date	Fee Due (Small / Large Entity)
Response within Time Allowed	None / None
1	\$55 / \$110
2	\$205 / \$410
3	\$465 / \$930
4	\$725 / \$1,450
5	\$985 / \$1,970

It is important to note that no extension of time is permitted that extends the period for response past the maximum 6 month

Art Unit: 3632

statutory period. Responses received after the maximum 6 month statutory period will be held abandoned. 37 C.F.R. § 1.135.

Three examples are provided:

Example 1:

A complete response is filed four months and one day after the mailing date of an Office action. The Office action sets a 3 month shortened statutory period for response. The response must be accompanied by a fee in the amount of \$205 (for a small entity); \$410 for a large entity) for a 2 month extension of time. The response must also contain a statement requesting "an extension of the period for response under 37 C.F.R. § 1.136(a)."

Example 2:

A complete response is filed five months and one day after the mailing date of an Office action. The Office action sets a 2 month shortened statutory period for response. The response must be accompanied by a fee in the amount of \$725 (for a small entity); \$1,450 for a large entity) for a 4 month extension of time. The response must also contain a statement requesting "an extension of the period for response under 37 C.F.R. § 1.136(a)."

Example 3:

A complete response is filed six months and one day after the mailing date of an Office action. The Office action sets a 3 month shortened statutory period for response. The response is held abandoned even if accompanied by a fee and a request for an extension of time. Remember, extensions of time may not be used to extend the

Art Unit: 3632

period for response past the maximum 6 month statutory period. 37

C.F.R. § 1.135.

IV. Certificate of Mailing

To ensure that the Applicant's response is considered timely filed, it is advisable to include a "Certificate of Mailing" on at least one page of the response. See 37 C.F.R. § 1.8. This "Certificate" should consist of the following statement:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Applicant signature

Date

CONCLUSION AND CAVEAT

The above discussion is not intended to be an exhaustive list of all the topics that may be relevant to this particular Application. The information was provided to familiarize Applicant with the portions of a response that have historically caused problems for *pro se* inventors.

Furthermore, even if Applicant's response is in accordance with the information provided above, there is no guarantee that every requirement of the patent laws (35 U.S.C. §§ 1-376), patent rules (37 C.F.R. §§ 1.1-150.6), and Patent Office policy (M.P.E.P. §§ 101-2591)

Art Unit: 3632

has been met. The adequacy of a response is determined on a case-by-case basis. See 37 C.F.R. § 1.111; M.P.E.P. § 714.02.

Detailed Office Action

Oath/Declaration

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:
The specification to which the oath or declaration is directed has not been adequately identified. See MPEP § 602.

The title of the invention has not been included in the Oath/Declaration.

Drawings

The drawings are objected to because the ***applicant should submit new drawings wherein each drawing has reference numbers for every part which makes up the invention (e.g. plate, detent pin, BCD plate, tank). The parts should be indicated using reference numbers not figures numbers. The applicant currently has the parts of the invention being labeled as figures which is incorrect. The detent pin should be shown including each***

Art Unit: 3632

part/piece which makes up the detent pin. The views should be stated as top, side, elevation, bottom, front, or back within the specification and not within the drawings. The applicant should label each of the figures as Figure 1, 2, 3 etc. The applicant should label each of the views(e.g. side view and rear view) on page 3 of the drawings with a Figure number. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required

Art Unit: 3632

corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, ***the divers BCD, the screws, washers, threaded inserts, each element or part of the detent pin*** must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing

Art Unit: 3632

figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The abstract of the disclosure is objected to because the abstract should not contain claim language such as "means" or "said" (lines 3 and 9). Correction is required. See MPEP § 608.01(b).

The disclosure is objected to because of the following informalities: The specification on page 1 after BCD what each letter represents. The Brief Description of the drawings should reflect any changes made to the drawings and should only contain a short description of the figures (e.g. views or part, see patents attached for example). The views should be stated as top, side, elevation, bottom, front, or back. The applicant should delete "full face view". The detailed description of the invention should be within the Detailed Description.

Appropriate correction is required.

Art Unit: 3632

Claim Objections

Claims 1-3 objected to because of the following informalities: the claims should be presented on a separate page from the rest of the disclosure. The first paragraph on page 3 should not be on the same page with the claims. The claims should be in a single sentence form. The applicant has presented the claims in a paragraph form which is incorrect. The applicant should amend the claims and submit the claims with only one sentence for each claim. Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the slot opening" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 3632

Claim 1 recites the limitation "second attached bracket" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Claim 1 recites the limitation "second bracket" in line 4. There is insufficient antecedent basis for this limitation in the claim. The examiner can not be sure whether or not the second bracket is one of the two brackets or if it is the second attached bracket.

Claim 1 recites the limitation "first bracket" in line 3. There is insufficient antecedent basis for this limitation in the claim. The examiner can not determine whether the first bracket is one of the brackets of the two brackets (line 1), the one being flat (line 1), or completely different bracket.

Claim 1 recites the limitation "the opposite side" in 6. There is insufficient antecedent basis for this limitation in the claim.

Claim 1 recites the limitation "The scuba tank" in line 6. There is insufficient antecedent basis for this limitation in the claim.

Claim 2 recites the limitation "the divers BCD" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 3632

Claim 2 recites the limitation "the divers scuba tank" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Claim 2 recites the limitation "one in the bracket" in line 4. There is insufficient antecedent basis for this limitation in the claim. The examiner can not determine whether this limitation refers to the screws, washers, threaded inserts, or counter sunk holes.

Regarding claim 2, the phrase "like the type" renders the claim(s) indefinite because the claim(s) include(s) elements not actually disclosed (those encompassed by "or the like"), thereby rendering the scope of the claim(s) unascertainable. See MPEP § 2173.05(d).

Claim 3 recites the limitation "brackets" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Claim 3 recites the limitation "two brackets" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim 3 recites the limitation "the diver" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 3632

Claims 1-3 are rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3 rejected, as best understood, under 35 U.S.C. 102(b) as being anticipated by Carter 4,55,083. Carter discloses two brackets for a tank having a dove tail slot and attachment member respectively.

Claims 1-3 are rejected, as best understood, under 35 U.S.C. 102(b) as being anticipated by Banister 4,570,887.

Art Unit: 3632

Banister discloses two brackets having dovetail slot and member respectively, a stopping point and a pin or means to prevent removal.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


The prior art discloses conventional brackets having slots and members for attaching supports to one another.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly T. Wood whose telephone number is 703-308-0539. The examiner can normally be reached on Monday-Thursday 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on 703-308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Kimberly T. Wood
Primary Examiner
Art Unit 3632

September 27, 2004